

Model: U HS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001172	0.00000219	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001172	0.00000219	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00002047	0.00000383	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00002047	0.00000383	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00002235	0.00000418	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00001915	0.00000358	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00002722	0.00000509	0.10	285.00	0.00	5.00	8760.00

Model: U HS Model 2010
Groep: (hoofdgroep)
Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00002722	0.00000509	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00002042	0.00000382	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00002042	0.00000382	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00003203	0.00000599	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00002343	0.00000438	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00002343	0.00000438	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00000961	0.00000266	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00000961	0.00000266	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00

Model: U HS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00

Model: U HS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00001095	0.00000304	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00001095	0.00000304	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00

Model: U HS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U HS Model 2010
Groep: (hoofdgroep)
Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001747	0.00000327	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001172	0.00000219	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001172	0.00000219	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00002047	0.00000383	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00002047	0.00000383	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001836	0.00000344	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00002235	0.00000418	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00001915	0.00000358	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00002722	0.00000509	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00002722	0.00000509	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00002042	0.00000382	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00002042	0.00000382	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00003203	0.00000599	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00002343	0.00000438	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00002343	0.00000438	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001456	0.00000272	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00000961	0.00000266	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00000961	0.00000266	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001313	0.00000246	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00001409	0.00000391	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001249	0.00000234	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00000919	0.00000255	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001598	0.00000299	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001848	0.00000346	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00001095	0.00000304	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00001095	0.00000304	0.10	285.00	0.00	5.00	8760.00
110	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
111	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
112	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
113	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
114	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
115	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
116	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
117	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
118	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
119	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
120	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
121	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
122	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
123	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
124	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
125	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
126	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
127	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
128	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
129	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
130	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
131	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
132	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
133	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
134	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
135	Vak 1	5.00	1.00	1.10	0.00000450	0.00000125	0.10	285.00	0.00	5.00	8760.00
136	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
137	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
138	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
139	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
140	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
141	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
142	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
143	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
144	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
145	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
146	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
147	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
148	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
149	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
150	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
151	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
152	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
153	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
154	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
155	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
156	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
157	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
158	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
159	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
160	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
161	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
162	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
163	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
164	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
165	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
166	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
167	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
168	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
169	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
170	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
171	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
172	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
173	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
174	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
175	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
176	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
177	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
178	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
179	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
180	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
181	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
182	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
183	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
184	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
185	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
186	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
187	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
188	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
189	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
190	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
191	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
192	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
193	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
194	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
195	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
196	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
197	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
198	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
199	Vak 2	10.00	1.00	1.10	0.00000909	0.00000170	1.00	285.00	0.00	5.00	8760.00
200	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
201	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
202	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
203	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
204	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
205	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
206	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
207	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
208	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
209	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
210	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
211	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
212	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
213	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
214	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
215	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
216	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
217	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
218	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
219	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
220	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
221	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
222	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
223	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
224	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
225	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
226	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
227	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
228	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
229	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
230	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
231	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
232	Vak 3	5.00	1.00	1.10	0.00001412	0.00000264	0.10	285.00	0.00	5.00	8760.00
233	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
234	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
235	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
236	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
237	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
238	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
239	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
240	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
241	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
242	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
243	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
244	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
245	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
246	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
247	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
248	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
249	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
250	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
251	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
252	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
253	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
254	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
255	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
256	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
257	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
258	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
259	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
260	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
261	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
262	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
263	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
264	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
265	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
266	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
267	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
268	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
269	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
270	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
271	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
272	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
273	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
274	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
275	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
276	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
277	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
278	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
279	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
280	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
281	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
282	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
283	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
284	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
285	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
286	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
287	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
288	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
289	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
290	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
291	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
292	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
293	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
294	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
295	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
296	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
297	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
298	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
299	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
300	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
301	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
302	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
303	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
304	Vak 4	10.00	1.00	1.10	0.00001088	0.00000204	1.00	285.00	0.00	5.00	8760.00
305	Vak 5	5.00	1.00	1.10	0.00000548	0.00000152	0.10	285.00	0.00	5.00	8760.00
306	Vak 5	5.00	1.00	1.10	0.00000548	0.00000152	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
375	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
376	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
377	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
378	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
379	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
380	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
381	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
382	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
383	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
384	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
385	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
386	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
387	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
388	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
389	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
390	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
391	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
392	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
393	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
394	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
395	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
396	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
397	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
398	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
399	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
400	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
401	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
402	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
403	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
404	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
405	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
406	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
407	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
408	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
409	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
410	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
411	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
412	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
413	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
414	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
415	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
416	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
417	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
418	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
419	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
420	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
421	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
422	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
423	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
424	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
425	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
426	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
427	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
428	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
429	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
430	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
431	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
432	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
433	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
434	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
435	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
436	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
437	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
438	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
439	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
440	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
441	Vak 6	10.00	1.00	1.10	0.00001114	0.00000209	1.00	285.00	0.00	5.00	8760.00
442	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
443	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
444	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
445	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
446	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
447	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
448	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
449	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
450	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
451	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
452	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
453	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
454	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
455	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
456	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
457	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
458	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
459	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
460	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
461	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
462	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
463	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
464	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
465	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
466	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
467	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
468	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
469	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
470	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
471	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
472	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
473	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
474	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
475	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
476	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
477	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
478	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
479	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
480	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
481	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
482	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
483	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
484	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
485	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
486	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
487	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
488	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
489	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
490	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
491	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
492	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
493	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
494	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
495	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
496	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
497	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
498	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
499	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
500	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
501	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
502	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
503	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
504	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
505	Vak 7	5.00	1.00	1.10	0.00000783	0.00000217	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
Groep: (hoofdgroep)
Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
110	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
111	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
112	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
113	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
114	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
115	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
116	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
117	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
118	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
119	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
120	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
121	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
122	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
123	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
124	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
125	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
126	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
127	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
128	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
129	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
130	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
131	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
132	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
133	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
134	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
135	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
136	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
137	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
138	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
139	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
140	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
141	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
142	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
143	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
144	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
145	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
146	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
147	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
148	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
149	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
150	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
151	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
152	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
153	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
154	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
155	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
156	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
157	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
158	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
159	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
160	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
161	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
162	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
163	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
164	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
165	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
166	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
167	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
168	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
169	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
170	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
171	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
172	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
173	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
174	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
175	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
176	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
177	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
178	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
179	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
180	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
181	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
182	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
183	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
184	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
185	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
186	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
187	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
188	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
189	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
190	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
191	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
192	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
193	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
194	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
195	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
196	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
197	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
198	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
199	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
200	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
201	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
202	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
203	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
204	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
205	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
206	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
207	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
208	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
209	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
210	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
211	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
212	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
213	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
214	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
215	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
216	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
217	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
218	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
219	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
220	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
221	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
222	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
223	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
224	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
225	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
226	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
227	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
228	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
229	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
230	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
231	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
232	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
233	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
234	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
235	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
236	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
237	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
238	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
239	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
240	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
241	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
242	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
243	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
244	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
245	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
246	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
247	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
248	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
249	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
250	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
251	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
252	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
253	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
254	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
255	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
256	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
257	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
258	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
259	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
260	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
261	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
262	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
263	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
264	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
265	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
266	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
267	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
268	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
269	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
270	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
271	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
272	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
273	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
274	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
275	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
276	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
277	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
278	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
279	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
280	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
281	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
282	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
283	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
284	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
285	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
286	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
287	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
288	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
289	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
290	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
291	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
292	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
293	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
294	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
295	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
296	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
297	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
298	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
299	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
300	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
301	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
302	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
303	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
304	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
305	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
306	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
307	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
308	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
309	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
310	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
311	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
312	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
313	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
314	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
315	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
316	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
317	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
318	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
319	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
320	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
321	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
322	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
323	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
324	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
325	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
326	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
327	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
328	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
329	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
330	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
331	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
332	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
333	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
334	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
335	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
336	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
337	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
338	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
339	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
340	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
341	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
342	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
343	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
344	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
345	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
346	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
347	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
348	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
349	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
350	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
351	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
352	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
353	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
354	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
355	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
356	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
357	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
358	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
359	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
360	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
361	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
362	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
363	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
364	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
365	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
366	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
367	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
368	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
369	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
370	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
371	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
372	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
373	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
374	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
375	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
376	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
377	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
378	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
379	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
380	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
381	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
382	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
383	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
384	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
385	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
386	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
387	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
388	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
389	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
390	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
391	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
392	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
393	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
394	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
395	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
396	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
397	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
398	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
399	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
400	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
401	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
402	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
403	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
404	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
405	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
406	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
407	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
408	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
409	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
410	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
411	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
412	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
413	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
414	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
415	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
416	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
417	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
418	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
419	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
420	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
421	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
422	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
423	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
424	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
425	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
426	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
427	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
428	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
429	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
430	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
431	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
432	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
433	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
434	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
435	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
436	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
437	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
438	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
439	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
440	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
441	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
442	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
443	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
444	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
445	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
446	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
447	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
448	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
449	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
450	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
451	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
452	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
453	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
454	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
455	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
456	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
457	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
458	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
459	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
460	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
461	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
462	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
463	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
464	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
465	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
466	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
467	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
468	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
469	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
470	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
471	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
472	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
473	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
474	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
475	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
476	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
477	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
478	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
479	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
480	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
481	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
482	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
483	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
484	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
485	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
486	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
487	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
488	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
489	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
490	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
491	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
492	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
493	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
494	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
495	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
496	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
497	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
498	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
499	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
500	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
501	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
502	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
503	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
504	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
505	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00

Model: U OS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
110	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
111	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
112	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
113	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
114	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
115	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
116	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
117	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
118	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
119	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
120	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
121	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
122	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
123	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
124	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
125	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
126	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
127	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
128	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
129	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
130	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
131	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
132	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
133	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
134	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
135	Vak 1	5.00	1.00	1.10	0.00000090	0.00000025	0.10	285.00	0.00	5.00	8760.00
136	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
137	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
138	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
139	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
140	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
141	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
142	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
143	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
144	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
145	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
146	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
147	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
148	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
149	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
150	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
151	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
152	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
153	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
154	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
155	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
156	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
157	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
158	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
159	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
160	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
161	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
162	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
163	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
164	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
165	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
166	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
167	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
168	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
169	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
170	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
171	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
172	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
173	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
174	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
175	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
176	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
177	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
178	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
179	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
180	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
181	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
182	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
183	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
184	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
185	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
186	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
187	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
188	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
189	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
190	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
191	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
192	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
193	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
194	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
195	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
196	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
197	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
198	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
199	Vak 2	10.00	1.00	1.10	0.00000182	0.00000034	1.00	285.00	0.00	5.00	8760.00
200	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
201	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
202	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
203	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
204	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
205	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
206	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
207	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
208	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
209	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
210	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
211	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
212	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
213	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
214	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
215	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
216	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
217	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
218	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
219	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
220	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
221	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
222	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
223	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
224	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
225	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
226	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
227	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
228	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
229	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
230	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
231	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
232	Vak 3	5.00	1.00	1.10	0.00000282	0.00000053	0.10	285.00	0.00	5.00	8760.00
233	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
234	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
235	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
236	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
237	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
238	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
239	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
240	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
241	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
242	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
243	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
244	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
245	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
246	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
247	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
248	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
249	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
250	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
251	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
260	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
261	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
262	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
263	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
264	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
265	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
266	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
267	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
271	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
272	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
273	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
274	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
275	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
276	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
277	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
281	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
282	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
283	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
284	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
285	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
286	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
287	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
290	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
291	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
292	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
293	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
294	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
295	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
296	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
297	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
298	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
299	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
300	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
301	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
302	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
303	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
304	Vak 4	10.00	1.00	1.10	0.00000169	0.00000032	1.00	285.00	0.00	5.00	8760.00
327	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
328	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
329	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
330	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
331	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
332	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
333	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
334	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
335	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
336	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
337	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
338	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
339	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
340	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
341	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
342	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
343	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
344	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
345	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
346	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
347	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
348	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
349	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
350	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
351	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
352	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
353	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
354	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
355	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
356	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
357	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
358	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
359	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
360	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
361	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
362	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
363	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
364	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
365	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
366	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
367	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
368	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
369	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
370	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
371	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
372	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
373	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
374	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
375	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
376	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
377	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
378	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
379	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
380	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
381	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
382	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
383	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
384	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
385	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
386	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
387	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
388	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
389	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
390	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
391	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
392	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
393	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
394	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
395	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
396	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
397	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
398	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
399	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
400	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
401	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
402	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
403	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
404	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
405	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
406	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
407	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
408	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
409	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
410	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
411	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
412	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
413	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
414	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
415	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
416	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
417	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
418	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
419	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
420	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
421	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
422	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
423	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
424	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
425	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
426	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
427	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
428	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
429	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
430	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
431	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
432	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
433	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
434	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
435	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
436	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
437	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
438	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
439	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
440	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
441	Vak 6	10.00	1.00	1.10	0.00000213	0.00000042	1.00	285.00	0.00	5.00	8760.00
442	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
443	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
444	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
445	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
446	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
447	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
448	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
449	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
450	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
451	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
452	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
453	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
454	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
455	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
456	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
457	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
458	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
459	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
460	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
461	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
462	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
463	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
464	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
465	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
466	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
467	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
468	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
469	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
470	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
471	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
472	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
473	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
474	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
475	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
476	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
477	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
478	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
479	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
480	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
481	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
482	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
483	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
484	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
485	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
486	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
487	Vak 7	5.00	1.00	1.10	0.00000128	0.00000049	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2010
Groep: (hoofdgroep)
Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
110	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
111	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
112	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
113	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
114	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
115	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
116	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
117	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
118	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
119	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
120	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
121	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
122	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
123	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
124	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
125	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
126	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
127	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
128	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
129	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
130	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
131	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
132	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
133	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
134	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
135	Vak 1	5.00	1.00	1.10	0.00000540	0.00000150	0.10	285.00	0.00	5.00	8760.00
136	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
137	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
138	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
139	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
140	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
141	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
142	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
143	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
144	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
145	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
146	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
147	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
148	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
149	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
150	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
151	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
152	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
153	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
154	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
155	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
156	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
157	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
158	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
159	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
160	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
161	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
162	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
163	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
164	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
165	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
166	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
167	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
168	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
169	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
170	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
171	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
172	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
173	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
174	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
175	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
176	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
177	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
178	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
179	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
180	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
181	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
182	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
183	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
184	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
185	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
186	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
187	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
188	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
189	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
190	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
191	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
192	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
193	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
194	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
195	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
196	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
197	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
198	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
199	Vak 2	10.00	1.00	1.10	0.00001076	0.00000201	1.00	285.00	0.00	5.00	8760.00
200	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
201	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
202	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
203	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
204	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
205	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
206	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
207	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
208	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
209	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
210	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
211	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
212	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
213	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
214	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
215	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
216	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
217	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
218	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
219	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
220	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
221	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
222	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
223	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
224	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
225	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
226	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
227	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
228	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
229	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
230	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
231	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
232	Vak 3	5.00	1.00	1.10	0.00001639	0.00000307	0.10	285.00	0.00	5.00	8760.00
233	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
234	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
235	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
236	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
237	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
238	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
239	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
240	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
241	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
242	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
243	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
244	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
245	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
246	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
247	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
248	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
249	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
250	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
251	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
252	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
253	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
254	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
255	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
256	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
257	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
258	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
259	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
260	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
261	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
262	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
263	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
264	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
265	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
266	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
267	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
268	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
269	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
270	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
271	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
272	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
273	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
274	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
275	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
276	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
277	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
278	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
279	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
280	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
281	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
282	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
283	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
284	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
285	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
286	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
287	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
288	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
289	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
290	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
291	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
292	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
293	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
294	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
295	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
296	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
297	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
298	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
299	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
300	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
301	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
302	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
303	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
304	Vak 4	10.00	1.00	1.10	0.00001305	0.00000244	1.00	285.00	0.00	5.00	8760.00
305	Vak 5	5.00	1.00	1.10	0.00000658	0.00000182	0.10	285.00	0.00	5.00	8760.00
306	Vak 5	5.00	1.00	1.10	0.00000658	0.00000182	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
375	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
376	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
377	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
378	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
379	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
380	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
381	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
382	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
383	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
384	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
385	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
386	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
387	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
388	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
389	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
390	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
391	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
392	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
393	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
394	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
395	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
396	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
397	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
398	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
399	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
400	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
401	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
402	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
403	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
404	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
405	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
406	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
407	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
408	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
409	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
410	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
411	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
412	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
413	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
414	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
415	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
416	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
417	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
418	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
419	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
420	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
421	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
422	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
423	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
424	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
425	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
426	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
427	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
428	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
429	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
430	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
431	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
432	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
433	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
434	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
435	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
436	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
437	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
438	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
439	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
440	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
441	Vak 6	10.00	1.00	1.10	0.00001193	0.00000223	1.00	285.00	0.00	5.00	8760.00
442	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
443	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
444	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
445	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
446	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
447	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
448	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
449	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
450	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
451	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
452	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
453	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
454	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
455	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
456	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
457	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
458	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
459	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
460	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
461	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
462	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
463	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
464	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
465	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
466	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
467	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
468	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
469	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
470	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
471	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
472	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
473	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
474	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
475	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
476	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
477	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
478	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
479	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
480	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
481	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
482	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
483	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
484	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
485	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
486	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
487	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
488	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
489	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
490	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
491	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
492	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
493	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
494	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
495	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
496	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
497	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
498	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
499	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
500	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
501	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
502	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
503	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
504	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
505	Vak 7	5.00	1.00	1.10	0.00000896	0.00000248	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2015
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
01	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
02	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
03	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
04	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
05	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
06	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
07	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
08	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
09	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
10	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
11	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
12	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
13	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
14	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
15	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
16	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
17	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
18	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
19	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
20	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
21	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
22	Vak 2 B1	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
23	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
24	Vak 2 B2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
25	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
26	Vak 2 B3	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
27	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
28	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
29	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
30	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
31	Vak 2 B4	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
32	Vak 3 B5	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
33	Vak 3 B6	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
34	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
35	Vak 3 B7	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
36	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
37	Vak 3 B8	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
38	Vak 3 B9	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
39	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
40	Vak 3 B10	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
41	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
42	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
43	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
44	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
45	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
46	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
47	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
48	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
49	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
50	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
51	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
52	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
53	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
54	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
55	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
56	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
57	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
58	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
59	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
60	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
61	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
62	Vak 6 B11	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
63	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
64	Vak 7 B12	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
65	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
66	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
67	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
68	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
69	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
70	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
71	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
72	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
73	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
74	Vak 6 B13	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
75	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
76	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
77	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
78	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
79	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
80	Vak 7 B14	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
81	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
82	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
83	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
84	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
85	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
86	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
87	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
88	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
89	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
90	Vak 6 B15	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
91	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
92	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
93	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
94	Vak 7 B16	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
95	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
96	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
97	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
98	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
99	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
100	Vak 6 B17	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
101	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
102	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
103	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
104	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
105	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
106	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
107	Vak 6 B18	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
108	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
109	Vak 7 B19	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
110	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
111	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
112	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
113	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
114	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
115	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
116	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
117	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
118	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
119	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
120	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
121	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
122	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
123	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
124	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
125	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
126	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
127	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
128	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
129	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
130	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
131	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
132	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
133	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
134	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
135	Vak 1	5.00	1.00	1.10	0.00000900	0.00000250	0.10	285.00	0.00	5.00	8760.00
136	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
137	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
138	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
139	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
140	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
141	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
142	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
143	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
144	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
145	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
146	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
147	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
148	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
149	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
150	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
151	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
152	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
153	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
154	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
155	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
156	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
157	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
158	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
159	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
160	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
161	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
162	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
163	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
164	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
165	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
166	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
167	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
168	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
169	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
170	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
171	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
172	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
173	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
174	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
175	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
176	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
177	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
178	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
179	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
180	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
181	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
182	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
183	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
184	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
185	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
186	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
187	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
188	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
189	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
190	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
191	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
192	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
193	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
194	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
195	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
196	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
197	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
198	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
199	Vak 2	10.00	1.00	1.10	0.00001793	0.00000336	1.00	285.00	0.00	5.00	8760.00
200	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
201	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
202	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
203	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
204	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
205	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
206	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
207	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
208	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
209	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
210	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
211	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
212	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
213	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
214	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
215	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
216	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
217	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
218	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
219	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
220	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
221	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
222	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
223	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
224	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
225	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
226	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
227	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
228	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
229	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
230	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
231	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
232	Vak 3	5.00	1.00	1.10	0.00002732	0.00000511	0.10	285.00	0.00	5.00	8760.00
233	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
234	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
235	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
236	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
237	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
238	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
Groep: (hoofdgroep)
Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
239	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
240	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
241	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
242	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
243	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
244	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
245	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
246	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
247	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
248	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
249	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
250	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
251	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
252	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
253	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
254	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
255	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
256	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
257	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
258	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
259	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
260	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
261	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
262	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
263	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
264	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
265	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
266	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
267	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
268	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
269	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
270	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
271	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
272	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
273	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
274	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
275	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
276	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
277	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
278	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
279	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
280	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
281	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
282	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
283	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
284	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
285	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
286	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
287	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
288	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
289	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
290	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
291	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
292	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
293	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
294	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
295	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
296	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
297	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
298	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
299	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
300	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
301	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
302	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
303	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
304	Vak 4	10.00	1.00	1.10	0.00002176	0.00000407	1.00	285.00	0.00	5.00	8760.00
305	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
306	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
307	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
308	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
309	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
310	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
311	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
312	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
313	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
314	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
315	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
316	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
317	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
318	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
319	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
320	Vak 5	5.00	1.00	1.10	0.00001097	0.00000304	0.10	285.00	0.00	5.00	8760.00
321	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
322	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
323	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
324	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
325	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
326	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
327	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
328	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
329	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
330	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
331	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
332	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
333	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
334	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
335	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
336	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
337	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
338	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
339	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
340	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
341	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
342	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
343	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
344	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
345	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
346	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
347	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
348	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
349	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
350	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
351	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
352	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
353	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
354	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
355	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
356	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
357	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
358	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
359	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
360	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
361	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
362	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
363	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
364	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
365	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
366	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
367	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
368	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
369	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
370	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
371	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
372	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
373	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
374	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
375	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
376	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
377	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
378	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
379	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
380	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
381	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
382	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
383	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
384	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
385	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
386	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
387	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
388	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
389	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
390	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
391	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
392	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
393	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
394	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
395	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
396	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
397	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
398	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
399	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
400	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
401	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
402	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
403	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
404	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
405	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
406	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
407	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
408	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
409	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
410	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
411	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
412	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
413	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
414	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
415	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
416	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
417	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
418	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
419	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
420	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
421	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
422	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
423	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
424	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
425	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
426	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
427	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
428	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
429	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
430	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
431	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
432	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
433	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
434	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
435	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
436	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
437	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
438	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
439	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
440	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
441	Vak 6	10.00	1.00	1.10	0.00001988	0.00000372	1.00	285.00	0.00	5.00	8760.00
442	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
443	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
444	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
445	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
446	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
447	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
448	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
449	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
450	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
451	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
452	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
453	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
454	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
455	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
456	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
457	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
458	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
459	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
460	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
461	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
462	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
463	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
464	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
465	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
466	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
467	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
468	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
469	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
470	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
471	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
472	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
473	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
474	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
475	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
476	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
477	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
478	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
479	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
480	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
481	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
482	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
483	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
484	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
485	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
486	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
487	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
488	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
489	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
490	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
491	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
492	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
493	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
494	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
495	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
496	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
497	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
498	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
499	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
500	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
501	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
502	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
503	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
504	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
505	Vak 7	5.00	1.00	1.10	0.00001494	0.00000414	0.10	285.00	0.00	5.00	8760.00
506	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
518	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
520	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
522	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
524	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
526	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
528	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
529	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
542	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
544	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
546	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
548	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
550	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
558	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
560	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
562	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
566	Vak A	5.00	1.00	1.10	0.00003534	0.00000980	0.10	285.00	0.00	5.00	8760.00
567	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
571	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
573	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
575	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
582	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
584	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
586	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
588	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
591	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
598	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
602	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
609	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
616	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
620	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
621	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
625	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
628	Vak B	5.00	1.00	1.10	0.00003744	0.00001038	0.10	285.00	0.00	5.00	8760.00
636	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
640	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
643	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
647	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
655	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00

Model: U NS Model 2020
 Groep: (hoofdgroep)
 Lijst van Schoorstenen, voor rekenmethode Luchtkwaliteit - STACKS+

Naam	Omschr.	Hoogte	Int. dia.,	Ext. diam.	Emis. NO2	Emis. PM10	Flux	Gastemp.	Warmte	%NO2	Bedr. uren
657	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
660	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
662	Vak C	5.00	1.00	1.10	0.00004434	0.00001229	0.10	285.00	0.00	5.00	8760.00
664	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
665	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
670	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
673	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
677	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
679	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
683	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
685	Vak D	5.00	1.00	1.10	0.00002935	0.00000814	0.10	285.00	0.00	5.00	8760.00
686	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
690	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
692	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
694	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
699	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
702	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
704	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
708	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
714	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
716	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
718	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00
721	Vak E	5.00	1.00	1.10	0.00002764	0.00000766	0.10	285.00	0.00	5.00	8760.00